

#### **KRA5127**

##### **Specific rear rack in aluminium for MONOKEY® top-case**

maximum load allowed 6kg / it does not allow the assembly of the stop light kit or the remote control device on the top-case / it can only be mounted on the original rack in aluminium



#### **KR5129**

##### **Specific rear rack for MONOLOCK® or MONOKEY® top-case**

to be combined with the MONOKEY® KM5, KM8A, KM8B, KM9A or KM9B plate, or with the MONOLOCK® KM5M or KM6M plate / if combined with KM8A, KM8B, KM9A, KM9B it does not allow the assembly of the stop light kit or the remote control device on the case / maximum load allowed 6 kg / it can only be mounted to the original plastic rack



**KLR5127**

**Specific rapid release side-case holder for MONOKEY® or RETRO FIT cases**

**KL5127CAM**

**Specific pannier holder for MONOKEY® CAM-SIDE**

18 mm diameter



**BF11K**

**Specific flange for fitting the tank bags with TANKLOCK system**



**KD5127S**

**Specific screen, smoked 44 x 47 cm (H x W)**

to be combined with the specific D5129KITK fitting kit / 17 cm higher than the original



### **KD5127ST**

**Specific screen, transparent 54,5 x 49 cm (H x W)**

to be combined with the specific D5129KITK fitting kit / 27 cm higher than the original



### **KAF5127**


**Specific sliding wind-screen transparent, Airflow. Maximum height 59 cm (12 cm of extension), width 49 cm**

to be combined with the specific D5129KITK fitting kit / to be mounted instead of the original screen



### **D5129KITK**

**Specific fitting kit for KD5127S, KD5127ST, KAF5127B**



### **KN5129**


**Specific engine guard, black**

25 mm diameter steel tube / we recommend fitting by a qualified mechanic

### **KN5129OX**

**Specific engine guard, stainless steel**

25 mm diameter steel tube / we recommend fitting by a qualified mechanic



### **RP5129K**

**Oil carter protector in brushed and anodised aluminium**

not compatible with the version EURO 5 / to be combined with RP5129KITK

### **RP5129KITK**

**Specific kit to install the RP5129K, RP5140K**




### **LS5127K**

**Specific fitting kit to mount spotlights where specific engine guard is not present**

### **KFB5127**

**Fairing upper bracket to be mounted behind the windshield to install KS920M, KS920L, KS95KIT and GPS-Smartphone holder**

For KS920M, KS920L, KS952B, KS953B, KS954B, KS955B, KS956B, KS957B, KS958B, KS95KIT



### **01SKITK**

**Specific kit to mounting the KS900A Smart Bar**

### **03VKITK**

**Specific kit to mount the Smart Mount RC KS904B**

needs to be mounted on the brake fluid reservoir cover right-hand side

