



KRA5108

Specific rear rack in anodised aluminium for MONOKEY® top-case

maximum load allowed 6kg / it does not allow the assembly of the stop light kit or the remote control device on the case

KRA5108B

Specific rear rack in anodised aluminium for $\ensuremath{\mathsf{MONOKEY}}\xspace\ensuremath{\mathsf{@}}$ top-case, black

maximum load allowed 6kg / it does not allow the assembly of the stop light kit or the remote control device on the case



KLOS5108CAM Specific pannier holder KL ONE-FIT with contoured right side for Trekker Outback MONOKEY® CAM-SIDE configuration



18 mm diameter / the right side is only compatible with the contoured shaped KVGS33 cases / to be combined with 11RKITK for the transformation into Rapid Release pannier holder

KR5108

Specific rear rack for MONOKEY® top-case

MONOKEY® plate included



KLR5108

Specific rapid release side-case holder for MONOKEY® cases

not compatible with the side-cases in aluminium KVE37 K-venture / not compatible with the side-cases KMS36 K-Mission / you must move the indicators from their original position

KTL5108PLRKIT Specific kit to install the KS250 Tool Box on KLR5108

to be combined with KS250 and KLR5108 / you have to mount it on the left side of the motorcycle



KL5108CAM

Specific pannier holder for MONOKEY® CAM-SIDE

18 mm diameter / it is necessary to move the indicators from their original position $\,$



KTL5108CAMKIT Specific kit to install the KS250 Tool Box on KL5108CAM

to be combined with the KS250 and KL5108CAM $\!\!/$ needs to be mounted on the left-hand side of the motorcycle



BF11K

Specific flange for fitting the tank bags with TANKLOCK system



5124DTK

Specific screen, transparent 53,5 x 45 cm (H x W)

to be combined with the specific D5131KITK fitting kit / 15 cm higher than the original R1200GS-R1250GS and 10 cm higher than the original R1200GS Adventure-R1250GS Adventure



5124DK

Specific screen, smoked 43,5 x 43 cm (H x W)



to be combined with the specific D5131KITK fitting kit / 1.96 inches higher than the original R1200GS-R1250GS and size equal to that of the bike R1200GS Adventure-R1250GS Adventure

D5131KITK

Strengthening kit for the 5124DTK, 5124DK screen



KD5124B

Specific low and sports screen smoked 35 x 45 cm (H x W)

to be mounted instead of the original screen



KNH5124

Specific engine guard, black

25 mm diameter steel tube / we recommend fitting by a qualified mechanic / it protects the upper part of the radiators / not compatible with the original spotlights, offered as an option by the manufacturer



KNH5124OX

Specific engine guard, stainless steel

25 mm diameter steel tube / we recommend fitting by a qualified mechanic / it protects the upper part of the radiators / not compatible with the original spotlights, offered as an option by the manufacturer





KN5128

Specific engine guard, black

not compatible with the version Edition 40 Years / 25 mm diameter steel tube / we recommend fitting by a qualified mechanic

KNH5128

Specific engine guard, black

25 mm diameter steel tube / we recommend fitting by a qualified mechanic / it protects the upper part of the radiators / it can also be mounted with the original spotlights, offered as an option by the manufacturer







KPR5108

Stainless steel specific radiator guard black painted

EH5108K Plexiglass extension for original hands protector, smoked



ES5108K


Specific support in aluminium and stainless steel to widen the surface support area of the original side stand

it is not compatible with the version of the motorcycle equipped with lowered suspension



01SKITK

Specific kit to mounting the KS900A Smart Bar



03VKITK

Specific kit to mount the Smart Mount RC KS904B

needs to be mounted on the brake fluid reservoir cover right-hand side / use front right and rear left threaded hole

